

Climar

L I G H T I N G

climarlighting.com



we are **prepared**
for **every challenge**

we are the **light** of tomorrow

climarlighting.com

INDEX

about Climar 4

unique solutions 8
based on standard products

BOYA 10
circular fitting

TUPOLI 12
tubular fitting

BOYA OUT 14
circular light out fitting

PROFILE SYSTEMS 16
linear light

ERUS 18
suspended tubes

acoustic solutions 20
to improve work spaces

PROFILE SYSTEMS 22
linear light

ASTRA 23
rounded fitting

BOYA 24
circular fitting

BAFFLES 25
round or rectangular

USE YOUR IMAGINATION 26

WHO WE ARE

Climar Lighting has been manufacturing and supplying reliable, efficient, high-quality lighting since 1977.

We are specialised in the design and manufacturing of architectural, decorative and technical lighting solutions developed to address the needs of specifiers, architects, wholesalers, contractors and end users, for a wide range of applications.




VISION

Climar Lighting aims to become a reference of excellence in the national and international market in the design, development and manufacturing of architectural, decorative and technical lighting solutions.

MISSION

The mission of Climar Lighting is to manufacture luminaires and lighting solutions of a high quality and performance by developing the skills of the human resources oriented towards innovation, irreverence and cutting-edge design and based on differentiation, flexibility, respect for the environment and social responsibility.

Climar Lighting thus aims to achieve high levels of productivity, always keeping the rigour, quality and the satisfaction of its customers and partners, as well as to promote the continuous qualification, comfort and motivation of its employees.



OUR COMMITMENT

As part of our commitment to responsible industry, Climar Lighting has implemented procedures and practices in accordance with EN ISO 14001 environmental classification.

Following the strict guidelines for the working conditions, training and management, we ensure a reduction of industrial waste and ecological footprint.

Always keeping pace with new luminotechnical developments and requirements of RoHS 2 Directive, environmental preservation and public health protection are part of our corporate philosophy, contributing towards production procedures that are increasingly conscious, safe, clean and responsible.

5^{years} guarantee

Innovation and the constant search for groundbreaking technologies are part of the solution, in which the guarantee is continuously materialised in our products, always ensuring the quality, reliability and safety in each constructive detail.


To give our customers a high degree of safety and security, Climar products are covered by a five-year manufacture's guarantee in accordance with the terms of guarantee at www.climarlighting.com.

CLIMAR LIGHTING

LIGHT QUALITY

Our technical team focuses on the development of new products by investigating the most adequate raw materials, quality standards and the implementation of new technologies to be used in the products.

To this end, we dedicate ourselves to research and development of LED luminaires that comply with the most stringent requirements in terms of rigorous technical and photometric test processes, in our own laboratories or, when necessary, by using independent laboratories.increasingly conscious, safe, clean and responsible.



CLIMAR LAB

The source of creativity of Climar is supported by multi-disciplinary teams who enhance the dialogue and communication. This allows us to develop innovative parameters specified in each singular project.

In addition to the range of lighting solutions showcased in this catalogue, we accept requests on a daily basis that challenge our own essence, in the search for new concepts.



BESPOKE SOLUTIONS

We develop bespoke lighting projects for a wide variety of spaces. We are dedicated to the execution of ground-breaking lighting projects based on architectural design requirements.

A bespoke process is essentially interdisciplinary and complex, involving different professionals of the highest quality. Each project is crafted with authenticity and unique originality, in which each piece is a challenging and fascinating venture.





Hospitality

REFERENCE APPLICATIONS

We produce versatile lighting solutions that challenge the limits of creativity.

Our products stand out due to their functionality, aesthetics and technology. Key factors that allow us to transform and enrich each space with the ideal lighting solution. We exceed our objectives through a combination of state-of-the-art technology, timeless design and high manufacturing quality.

We offer sophisticated solutions, covering various sectors of application: Hospitality, Residential, Education & Culture, Shop & Retail, Office, Healthcare & Wellness, Industry, Transportation Infrastructures, among others.



Shop & Retail



Offices

unique solutions
based on **standard products**



unique solutions
based on **standard products**



BOYA



Rings of light – in various sizes, installed at different angles. BOYA lights can be artfully combined to create surprising light effects as per the below project examples.



◀ PwC Offices Birmingham - UK

- 1**
- 21 m Length
 - 90×90 mm Aluminium Body
 - RAL 9005 Matt Black Finish
 - Opal PC Diffuser
 - 27 W/m, 4000 K, DALI Control
 - LED Efficiency 150 lm/W



PwC Merchant Square ▶ Belfast - UK

- 2**
- 132 m Overall Length
 - 90×90 mm Aluminium Body
 - RAL 9005 Matt Black Finish
 - Opal PC Diffuser
 - 38 W/m, CASAMBI Control
 - RGB-W (4000 K)

- 3**
- 171 m Overall Length
 - 90×90 mm Aluminium Body
 - RAL 9005 Matt Black Finish
 - Opal PC Diffuser
 - 38 W/m, CASAMBI Control
 - RGB-W (4000 K)





4 ◀ **PHC Offices**
Lisboa - Portugal

- 4
- 8 m Diameter Direct/Indirect Light
 - 90×90 mm Aluminium Body
 - RAL 9005 Matt Black Finish
 - Opal PC Diffuser
 - 44 W/m, 3000 K, DALI Control
 - LED Efficiency 150 lm/W

▼ **HUAWEI Offices**
Lisboa - Portugal

- 5
- 13 m Overall Length
 - 90×70 mm Aluminium Body
 - RAL 9003 Matt White Finish
 - Opal PC Diffuser
 - 22 W/m, 4000 K, DALI Control
 - LED Efficiency 150 lm/W



SONICA First Landings ▶
Dublin - Ireland

- 6
- 10,8 m Arch
 - 90×90 mm Aluminium Body
 - RAL 9003 Matt White Finish
 - Opal PC Diffuser
 - 30 W/m, 3000 K, DALI Control
 - LED Efficiency 150 lm/W



◀ **Porto Editora**
Porto - Portugal

- 7
- 80 m Overall Length
 - 90×90 mm Aluminium Body
 - RAL 9003 Matt White Finish
 - Opal PC Diffuser
 - 24 W/m, 4000 K, DALI Control
 - LED Efficiency 150 lm/W

STANDARD PRODUCT

TUPOLI



Light and functionality – the perfect solution for a variety of applications. A wide range of models and sizes can be installed in a variety of ways and unique solutions as per the following examples.

UNIQUE SOLUTIONS



MoAE Huamao ▲
Ningbo - China

1 / 2

- 22 m Height
- Ø200 mm Inner Aluminium Plate
- 360° Opal PMMA Diffuser
- 33 W/m, 4000 K, DALI Control
- Efficiency 106 lm/W



Private Residence ▼
Braga - Portugal

3

- Ø80 mm - 3,5 / 4 m Height
- Ø70 mm - 4,3 / 4,5 / 5 m Height
- Aluminium Body with Corten Finish
- 360° Opal PC Diffuser
- 8 W/m, 3000 K, DALI Control
- LED Efficiency 141 lm/W



3




SONICA First Landings ▲
Dublin - Ireland

- 4 / 5**
- 0,8 / 1,2 / 1,5 m Height
 - Ø70 mm Brushed Aluminium
 - 360° Opal PC Diffuser
 - 8 W/m, 3000 K, DALI Control
 - LED Efficiency 141 lm/W

Saint-Jacques-de-la-Lande ▼
Rennes - France

- 6 / 7**
- 2 m Height
 - Ø70 mm Brushed Aluminium
 - 360° Opal PC Diffuser
 - 8 W/m, 4000 K, DALI Control
 - LED Efficiency 141 lm/W



STANDARD PRODUCT

BOYA OUT



Homogeneous light luminaire with direct emission of luminous flux. Available in three standard diameters or customized shapes depending on the project. Check out the unique varieties below.

UNIQUE SOLUTIONS



◀ SONICA First Landings Dublin - Ireland

1 / 2

- 31×11 m
- 140×65 mm Aluminium Body
- RAL 9003 Matt White Finish
- 180° Opal PMMA Diffuser
- 20 W/m, 3000 K, DALI Control
- LED Efficiency 134 lm/W



Private Residence ▲
Águeda - Portugal

3

- 2,5 m Diameter
- 140×65 mm Aluminium Body
- RAL 9005 Matt Black Finish
- 180° Opal PMMA Diffuser
- 32 W/m, 3000 K, CASAMBI Control
- LED Efficiency 134 lm/W



Private Residence ▲
Ílhavo - Portugal

4

- 1,4 m Diameter
- 140×65 mm Aluminium Body
- RAL 9005 Matt Black Finish
- 180° Opal PMMA Diffuser
- 20 W/m, 3000 K, DALI Control
- LED Efficiency 134 lm/W



5

◀ **Office Application**
Boya Out Shapes


5

- 1×3 m Overall Dimensions
- 140×65 mm Aluminium Body
- RAL 9005 Matt Black Finish
- 180° Opal PMMA Diffuser
- 20 W/m, 4000 K, ON/OFF Control
- LED Efficiency 134 lm/W

PROFILE SYSTEMS



Light without compromise. Single luminaire, continuous light lines or any geometric figure, it's up to you. Available in different diffusers, lenses, UGR compliant, asymmetric light distribution and several mounting options.



Birkbeck University ▲
London - UK


1 / 2

- Trapezium: 2,0×2,7 m
- Pentagon: 1,6×4,5 m
- 56×88 mm Aluminium Body
- RAL 9005 Matt Black Finish
- Prismatic PC Diffuser
- 21 W/m, 4000 K, DALI Control
- LED Efficiency 170 lm/W

The Bunker Office ►
London - UK

3

- 30 m Overall Length
- 56×88 mm Aluminium Body
- RAL 9005 Matt Black Finish
- Opal PC Diffuser
- 20 W/m, 4000 K, DALI Control
- LED Efficiency 188 lm/W





4

◀ **Oligalvânica Offices**
Águeda - Portugal

4 / 5

- 1,5×4 m Overall Dimensions
- 33×79 mm Aluminium Body
- RAL 9003 Matt White Finish
- Opal PC Diffuser
- 20 W/m, 4000 K, DALI Control
- LED Efficiency 188 lm/W




5

Visages du Monde ▶
Cergy - France

6

- 56×88 mm Aluminium Body
- RAL 9005 Matt Black Finish
- Opal PC Diffuser
- 24 W/m, 3000 K, DALI Control
- LED Efficiency 188 lm/W



6



7

◀ **PHC Offices**
Lisboa - Portugal

7

- 55 m Overall Length
- 56×88 mm Aluminium Body
- RAL 9005 Matt Black Finish
- Opal PC Diffuser
- 24 W/m, 3000 K, DALI Control
- LED Efficiency 188 lm/W

STANDARD PRODUCT

ERUS

Suspended luminaire offers flexibility in three diameters, different heights and in a variety of finishes. These pendant tubes add a touch of elegance to any space and can create unique ambiances as per the below examples.

UNIQUE SOLUTIONS



◀ EPIC SANA Marquês Lisboa - Portugal

1 / 2

- 11 m Overall Length Bridge
- 1960 different Tube Heights
- Tubes with or without lighting
- Ø25 mm Aluminium Body
- Satin Brass Liquid Paint Finish
- 5 W, 2700 K, CRI>90
- DALI Control
- LED Efficiency 129 lm/W




Vila do Conde Outlet ▲
Porto - Portugal

3 / 4


- Ø55 mm Aluminium Body
- RAL 9005 Matt Black Finish
- 14 W, 3000 K, CRI>80
- DALI Control
- LED Efficiency 96 lm/W

5

- Ø25 mm Aluminium Body
- RAL 9005 Matt Black Finish
- 5 W, 3000 K, CRI>90
- DALI Control
- LED Efficiency 120 lm/W



acoustic solutions
to improve **work spaces**



acoustic solutions
to improve **work spaces**



PROFILE SYSTEMS

Transform your space with our elegant acoustic solutions. Self-supporting panels for quick and easy installation, vertically or horizontally, on Climar's PROFILE SYSTEMS.

ACOUSTIC SOLUTIONS



ASTRA

Self-supporting acoustic panel or lampshade for seamless integration into ASTRA Suspended, Climar's rounded fittings.



CLIMAR LIGHTING



BOYA

Above or inside, these self-supporting panels allow perfect integration into the BOYA Suspended, Climar ring's fittings.

ACOUSTIC SOLUTIONS



ROUND OR RETANGULAR

BAFFLES

Elevate the ambiance of your environment with our conscientiously crafted acoustic product range.



CLIMAR LIGHTING



USE YOUR IMAGINATION

Explore the possibility of shaping personalized designs into our acoustic materials, adding a touch of uniqueness to your surroundings.





From chic panels to sophisticated soundproofing light solutions, our offerings can be harmoniously arranged to create captivating results that enrich your space with both beauty and functionality.



Climar

L I G H T I N G

HEADQUARTERS

Rua Estrada Real, 50 . 3750-866 Águeda - PT
+351 234 690 330 . export@climar.pt

LONDON OFFICE

31 - 35 Kirby Street, London EC1N 8TE - UK
+44 (0)20 7492 1707 . info@climarlighting.co.uk

climarlighting.com

